



Lorem Ipsum Dolor

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

BALLISTIC HELMETS

Ballistic Helmet Pasgt RGD-BH01SC



The PASGT helmet is designed to combat threats ranging from guns to splinters, this helmet features a large protective field for maximum coverage and safety. It is one of the most established helmet types in the world and is now widely used and trusted by professionals in the field. This helmet is made of Aramid material, a synthetic material known for its strength, heat resistant and non-and durability.

This kind of helmet is available in a variety of sizes to suit users of all sizes. For example: military, police, SWAT agencies, national security agencies, border and customs protection or other agencies .

We can also do OEM/ODM, such as adding rails to carrying communication equipment and other accessories to carry more tactical gear. Exchange the ordinary liner to the newest breathable memory buffer cushion system or MICH 7 pads .

PROTECT LEVEL	SIZE	MATERIAL	CIRCUMFERENCE(cm)	SIZE (L•W•H ±3mm)	THICKNESS(mm)	WEIGHT(kg)
NIJ IIIA 9mm	M	PE	54-58	268 × 243 × 170	8.0±0.2	1.25±0.05
NIJ III A.44	S	PE	54-56	255 × 235 × 165	9.4±0.2	1.25±0.05
	M		56-58	270 × 245 × 175	9.4±0.2	1.35±0.05
	L		58-60	285 × 254 × 180	9.4±0.2	1.43±0.05
	XL		60-62	300 × 270 × 185	9.4±0.2	1.5±0.05
NIJ IIIA 9mm/.44	S	Aramid	53-57	255 × 233 × 170	7.7±0.2	1.40±0.05
	M		56-60	267 × 242 × 176	7.7±0.2	1.45±0.05
	L		59-64	282 × 256 × 180	7.7±0.2	1.50±0.05



Ballistic Helmet Ak Pasgt RGD-HP-AKN

This helmet is a result of the collaboration between our factory and our clients who have specific end-user needs. We provide our customers with distances of 100 meters, 50 meters, and 15 meters protective options depending on their specific needs.

Our helmet is designed to provide high defense levels and can resist AK soft steel-core bullets. We are currently working on a new product that can withstand steel-core bullets, which will be launched in 2023, providing our customers with even greater protection.

To ensure maximum protection, our NGD-P-AK ballistic helmets offer a large protective zone for reliable coverage around your head. Additionally, it can equipped with rails for carrying communications equipment and other tactical accessories, making it ideal for a variety of tactical operations.

Style	Serial No.	Material	Bulletproof Level	Size	Circumference (cm)	SIZE (L•W•H ±3mm)	THICKNESS(mm)	WEIGHT(kg)
PASGT FOR AK	NGD-HP-AKN	PE	AK (Lead core) 100 m	M	54-58	284 × 254 × 185	18±0.2	2.45±0.05
				L	58-62	292 × 265 × 190	18±0.2	2.50±0.05
			AK (Lead core) 50 m	M	56-58	284 × 254 × 185	18±0.2	2.45±0.05
				L	58-62	292 × 265 × 190	18±0.2	2.50±0.05
			AK (Lead core) 15 m	M	54-58	284 × 254 × 185	18±0.2	2.45±0.05
				L	58-62	255 × 233 × 170	18±0.2	2.50±0.05

Ballistic Helmet Mich RGD-BH02SC

The MICH 2000 helmet is a revolutionary helmet style trusted by military, police and SWAT agencies around the world. This helmet offers a large area of protection that is effective against gun threats and debris, making it one of the most reliable helmets in the world.

The helmet is made of PE/UHMWPE material, a synthetic material known for its light weight, resistant to ultraviolet rays, which can be used in harsh environments with a long service life. In addition, the MICH 2000 helmet is equipped with a range of advanced features, including NVG mounts and communication equipment, making it the perfect helmet for tactical operations.



PROTECT LEVEL	SIZE	MATERIAL	CIRCUMFERENCE(cm)	SIZE (L•W•H ±3mm)	THICKNESS(mm)	WEIGHT(kg)
NIJ IIIA 9mm	M	PE	54-58	268 × 243 × 170	8.0±0.2	1.25±0.05
NIJ III A.44	S	PE	54-56	255 × 235 × 165	9.4±0.2	1.25±0.05
	M		56-58	270 × 245 × 175	9.4±0.2	1.35±0.05
	L		58-60	285 × 254 × 180	9.4±0.2	1.43±0.05
	XL		60-62	300 × 270 × 185	9.4±0.2	1.5±0.05
NIJ IIIA 9mm/.44	S	Aramid	53-57	255 × 233 × 170	7.7±0.2	1.40±0.05
	M		56-60	267 × 242 × 176	7.7±0.2	1.45±0.05
	L		59-64	282 × 256 × 180	7.7±0.2	1.50±0.05



Ballistic Helmet Fast RGD-BH03HC

The Fast helmet is widely recognized as one of the most effective and reliable helmet types against gun threats in the world. This helmet is made of Aramid material, a synthetic material known for its strength, heat resistant and non-and durability.

The Fast helmet is packed with features designed to enhance comfort and functionality. It includes an adjustable dial fit system to provide a customizable and secure fit, as well as a removable moisture-wicking lining for maximum comfort. One of the key benefits of the Fast helmet is its ease of use. The design allows for quick and easy donning and doffing, making it an ideal choice for a wide range of agencies and applications, including military, police, SWAT, border and customs protection, and national security agencies.

The helmet is also equipped with NVG mounts, shroud, and rails to allow for the attachment of communication equipment and other accessories, making it a versatile and flexible choice for tactical operations.

PROTECT LEVEL	SIZE	MATERIAL	CIRCUMFERENCE(cm)	SIZE (L•W•H ±3mm)	THICKNESS(mm)	WEIGHT(kg)
NIJ IIIA 9mm	L	PE	57-60	273 × 215 × 155	8.0±0.2	1.35±0.05
	XL		66-63	275 × 220 × 160	8.0±0.2	1.40±0.05
NIJ III A.44	L	Aramid	57-60	275 × 218 × 158	9.4±0.2	1.55±0.05
NIJ IIIA 9mm/.44	L		54-59	270 × 214 × 177	8.0±0.2	1.50±0.05
	XL		59-64	277 × 228 × 180	8.0±0.2	1.60±0.05

Ballistic Helmet Wendy

RGD-HA-WT

The Wendy helmet is made of Aramid material, a synthetic material known for its strength, heat resistant and non-and durability.


The helmet is packed with features designed to enhance comfort and functionality. It includes a BOA adjustable dial fit system to provide a customizable and secure fit, as well as a removable two layers moisture-wicking lining for maximum comfort.

The design allows for quick and easy donning and doffing, making it an ideal choice for a wide range of agencies and applications, including military, police, SWAT, border and customs protection, and national security agencies.



Style	Serial No.	Material	Bulletproof Level	Size	Circumference (cm)	SIZE (L•W•H ±3mm)	THICKNESS(mm)	WEIGHT(kg)
FAST	NGDA-HA-WT	PE	NIJ IIIA 9mm	M/L	56-62	270 × 215 × 140	8.0±0.2	1.40±0.05



A photograph of a military camp at dusk or dawn. In the foreground, several large, camouflage-patterned tactical backpacks are visible. One is prominently in the center, another to its left, and a third further back. They are resting on a dark, possibly metal, surface. In the background, a large military tent is set up, with a net hanging from its frame. A lantern is visible near the tent entrance. The overall scene is dimly lit, with a warm, orange glow from the sky. The text is overlaid on the lower half of the image.

Discover The NewStandarts Of NG TACTICAL & DEFENSE Lifesaving Products

The NGD military bag was included in a soldier's individual equipment set during the operation and is intended to carry the necessary supplies constantly at one go.

NGD's most important issue is customer satisfaction and acts with the principle of 100% customer satisfaction.

Thanks to its quality guarantee, it has been entitled to receive the ISO 1002: 2004 Customer Satisfaction System certificates, which are revealed with the ISO 9001: 2008 Quality Management System.

MILITARY BAGS

TACTICAL BACKPACK RGD-MTBP45

NGD 45 Lt Tactical Backpack is a product that has been designed in the most special way for soldiers with its comfortable and high quality structure. It offers a very easy use opportunity with the quality of service it offers in this area. It is a model that has been fully produced locally. It has been produced in accordance with the working conditions of soldiers in difficult areas and offers ease of use with its carrying capacity.

It is produced in such a way that it can accommodate the most basic needs of a soldier in terms of volume, and at the same time, a fastening apparatus has been prepared in order to carry it easily and keep it fixed. With orthopedic back support, you will have the opportunity to use it more comfortably during long and difficult walking.

Color: Camouflage (Color and pattern can be preferred.)

Capacity: 45 Liters

Size: 50×30×30

Uses: Soldier, mountaineer, camper and everyday



TACTICAL BACKPACK RGD-MTBP110

The new **NGD Tactical 110 L Terrain Backpack** has been produced in accordance with the terrain conditions with its design, structure and texture. The bag model, which offers a unique design in this area, provides comfort with its wide and ergonomic structure.

It is designed in the best way for military personnel, whips, mountaineering sportsmen who will be designed in the required size and go out to the field. While it offers both comfort and ease with its easy transport, it is also produced with a quality fabric.

With its flexible volumes, zipper details and side pockets, it offers easy carrying of many items. The new NGD Tactical 110 L Terrain Backpack model is also produced in such a way that it will not be damaged in the rain or sunny days. It is also ensured to stand upright with its transport structure and system.

Color: Camouflage (Color and pattern can be selected.)

Capacity: 110 Liters

Size: 72cm

Uses: Soldier, mountaineer, camper and everyday



TACTICAL BACKPACK MODELS

Discover The New Standards Of
RG tactical & DEFENSE
Lifesaving Products





The NGD military bag was included in a soldier's individual equipment set during the operation and is intended to carry the necessary supplies constantly at one go.

NGD's most important issue is customer satisfaction and acts with the principle of 100% customer satisfaction.

Thanks to its quality guarantee, it has been entitled to receive the ISO 10002: 2004 Customer Satisfaction System Certificates, which are revealed with the ISO 9001: 2008 Quality Management System.

TRANSPORT BAG

MILITARY TRANSPORT PACK NGD-MTTB80

The **NGD Genuine Army Carrying Case** is made of Extremely Strong miltech 1000D cordura fabric. NGD Army carrying case protects your military equipment against rain and moisture thanks to the PU coated layer.

Handcrafted to meet the soldier's requirements in the toughest missions. The two-stitched Polyamide thread woven strips that wrap around the bag and then turn into handles are extremely strong and durable.

It is made to withstand heavy loads in accordance with its purpose. It can also be used as a backpack, which makes it more practical. Thanks to its 5-pocket design, it offers variety for different needs. It can be produced in different colors and patterns.

110 liter capacity



MILITARY TRANSPORT PACK NGD-MTTB110

The **NGD Genuine Army Carrying Case** is made of Extremely Strong miltech 1000D cordura fabric. NGD Army carrying case protects your military equipment against rain and moisture thanks to the PU coated layer. Handcrafted to meet the soldier's requirements in the toughest missions.

The two-stitched Polyamide thread woven strips that wrap around the bag and then turn into handles are extremely strong and durable. It is made to withstand heavy loads in accordance with its purpose. It can also be used as a backpack, which makes it more practical.

Thanks to its 5-pocket design, it offers variety for different needs. It can be produced in different colors and patterns.

110 liter capacity





TACTICAL BOOTS

MILITARY INJECTION BOOTS

RGD-MTB02

With injection process by Desmo PU injection machine, the upper and outsole are Jointed directly without cement. PU layer provides comfortable wearing experience and rubber layer keeps high abrasion, slip and flexing resistance function.

Water resistant lining can be mode.

FEATURES

- 1.8 - 2.0mm thickness breathable split suede cow leather
- PU+rubber 2-layer material outsole
- 1050D Cordula nylon oxford waterproof fabric
- Soft removable EVA/PU insock
- 10" height
- Viiibram rubber outsole available
- Fiberglass shank for extra support

SIZES

39-46

COLORS

ALL CAMO

ALL SINGLE COLOR



MILITARY INJECTION BOOTS RGD-MTB03

With injection process by Desmo PU injection machine, the upper and outsole are Jointed directly without cement.

PU layer provides comfortable wearing experience and rubber layer keeps high abrasion, slip and flexing resistance function. Water resistant lining can be made.

FEATURES

- 1.8 - 2.0mm thickness breathable split suede cow leather
- PU+rubber 2-layer material outsole
- 1050D Cordula nylon oxford waterproof fabric
- Soft removable EVA/PU insock
- 10" height
- Viiibram rubber outsole available
- Fiberglass shank for extra support

SIZES

39-46

COLORS

ALL CAMO

ALL SINGLE COLOR



MILITARY INJECTION BOOTS

RGD-MTB04

With injection process by Desmo PU injection machine, the upper and outsole are Jointed directly without cement.

PU layer provides comfortable wearing experience and rubber layer keeps high abrasion, slip and flexing resistance function. Water resistant lining can be made.

FEATURES

- 1.8 - 2.0mm thickness breathable split suede cow leather
- PU+rubber 2-layer material outsole
- 1050D Cordula nylon oxford waterproof fabric
- Soft removable EVA/PU insock
- 10" height
- Viiibram rubber outsole available
- Fiberglass shank for extra support

SIZES

39-46

COLORS

ALL CAMO

ALL SINGLE COLOR



MILITARY INJECTION BOOTS RGD-MTB05

With injection process by Desmo PU injection machine, the upper and outsole are Jointed directly without cement.

PU layer provides comfortable wearing experience and rubber layer keeps high abrasion, slip and flexing resistance function. Water resistant lining can be made.

FEATURES

- 1.8 - 2.0mm thickness breathable split suede cow leather
- PU+rubber 2-layer material outsole
- 1050D Cordura nylon oxford waterproof fabric
- Soft removable EVA/PU insock
- 10" height
- Vibram rubber outsole available
- Fiberglass shank for extra support

SIZES

39-46

COLORS

ALL CAMO

ALL SINGLE COLOR



MILITARY INJECTION BOOTS RGD-MTB06

With injection process by Desmo PU injection machine, the upper and outsole are Jointed directly without cement.

PU layer provides comfortable wearing experience and rubber layer keeps high abrasion, slip and flexing resistance function. Water resistant lining can be mode.

FEATURES

- 1.8 - 2.0mm thickness breathable split suede cow leather
- PU+rubber 2-layer material outsole
- 1050D Cordula nylon oxford waterproof fabric
- Soft removable EVA/PU insock
- 10" height
- Viiibram rubber outsole available
- Fiberglass shank for extra support

SIZES

39-46

COLORS

ALL CAMO

ALL SINGLE COLOR



MILITARY INJECTION BOOTS

RGD-MTB07

With injection process by Desmo PU injection machine, the upper and outsole are Jointed directly without cement.

PU layer provides comfortable wearing experience and rubber layer keeps high abrasion, slip and flexing resistance function. Water resistant lining can be made.

FEATURES

- 1.8 - 2.0mm thickness breathable split suede cow leather
- PU+rubber 2-layer material outsole
- 1050D Cordula nylon oxford waterproof fabric
- Soft removable EVA/PU insock
- 10" height
- Vibram rubber outsole available
- Fiberglass shank for extra support

SIZES

39-46

COLORS

ALL CAMO

ALL SINGLE COLOR





STRIKE FACE

**250x300 mm.
UHMWPE
BALLISTIC
PLATES**

As long as we protect you, we're fine.

**.44
M80
AK**

**BALLISTIC
PLATES**

BALLISTIC PLATE NIJ LEVEL IIIA PE

NGD-A3P-1

Ballistic Level: NIJ 0101.04/06 IIIA STA
Material: PE
Size: 250×300mm +/-5mm
Weight: 0.50±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 8+/-2mm



BALLISTIC PLATE NIJ LEVEL III PE

NGD-3MP-1

Ballistic Level: NIJ 0101.04/06 III STA
Material: PE
Size: 250×300mm +/-5mm
Weight: 1.48±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 31+/-2mm

NGD-3MP-2

Ballistic Level: NIJ 0101.04/06 III STA
Material: PE
Size: 250×300mm +/-5mm
Weight: 1.37±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 22+/-2mm

NGD-3MPI-1

Ballistic Level: NIJ 0101.04/06 III ICW
Material: PE
Size: 250×300mm +/-5mm
Weight: 1.69±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 24+/-2mm

BALLISTIC PLATE NIJ LEVEL III+ PE

NGD-A3P-1

Ballistic Level: NIJ 0101.04/06 IIIA STA
Material: PE
Size: 250×300mm +/-5mm
Weight: 0.50±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 8+/-2mm

NGD-3API-1

Ballistic Level: NIJ 0101.04/06 III+ ICW
Material: PE
Size: 250×300mm +/-5mm
Weight: 1.34±0.05 kg
Single curved with upper corner cut
Finishing: Fabric/PU
Thickness: 19+/-2mm





STRIKE FACE

**250x300 mm.
CERAMIC + PE
BALLISTIC
PLATES**

As long as we protect you, we're fine.

**M80
AK47
SS109**

**BALLISTIC
PLATES**



BALLISTIC PLATE NIJ LEVEL III+ CERAMIC+PE

NGD-3SS-1

Ballistic Level: NIJ 0101.04/06 III+ STA
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.31±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 19+/-2mm

NGD-3SS-2

Ballistic Level: NIJ 0101.04/06 III+ STA
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.19±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 19+/-2mm

NGD-3SS-3

Ballistic Level: NIJ 0101.04/06 III+ STA
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.06±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 19+/-2mm

NGD-3SA-1

Ballistic Level: NIJ 0101.04/06 III+ STA
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.67±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 19+/-2mm

NGD-3SA-2

Ballistic Level: NIJ 0101.04/06 III+ STA
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.51±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 19+/-2mm

NGD-3SA-3

Ballistic Level: NIJ 0101.04/06 III+ STA
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.35±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 19+/-2mm

NGD-3IS-1

Ballistic Level: NIJ 0101.04/06 III+ ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.24±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 18+/-2mm

NGD-3IS-2

Ballistic Level: NIJ 0101.04/06 III+ ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.12±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 18+/-2mm

NGD-3IS-3

Ballistic Level: NIJ 0101.04/06 III+ ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 1.99±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 18+/-2mm

NGD-3IA-1

Ballistic Level: NIJ 0101.04/06 III+ ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.60±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 18+/-2mm

NGD-3IA-2

Ballistic Level: NIJ 0101.04/06 III+ ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.44±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 18+/-2mm

NGD-3IA-3

Ballistic Level: NIJ 0101.04/06 III+ ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.28±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 18+/-2mm



STRIKE FACE

STRIKE FACE

**250x300 mm.
CERAMIC + PE
BALLISTIC
PLATES**

As long as we protect you, we're fine.

**.30 caliber
M2AP**

**BALLISTIC
PLATES**

BALLISTIC PLATE NIJ LEVEL IV CERAMIC + PE

NGD-4SS-1

Ballistic Level: NIJ 0101.04/06 IV STA
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.83±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 23+/-2mm

NGD-4SS-2

Ballistic Level: NIJ 0101.04/06 IV STA
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.67±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 23+/-2mm

NGD-4SS-3

Ballistic Level: NIJ 0101.04/06 IV STA
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.52±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 23+/-2mm

NGD-4SA-1

Ballistic Level: NIJ 0101.04/06 IV STA
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 3.28±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 23+/-2mm


NGD-4SA-2

Ballistic Level: NIJ 0101.04/06 IV STA
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 3.08±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 23+/-2mm

NGD-4SA-3

Ballistic Level: NIJ 0101.04/06 IV STA
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.88±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 23+/-2mm





STRIKE FACE

**250x300 mm.
CERAMIC + PE
BALLISTIC
PLATES**

**.30 caliber
M2AP Or
7.62x54 API**

**BALLISTIC
PLATES**

BALLISTIC PLATE NIJ LEVEL IV CERAMIC+PE

NGD-4IS-1

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.69±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 21+/-2mm

NGD-4IS-2

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.53±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 21+/-2mm

NGD-4SA-3

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.37±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 21+/-2mm

NGD-4IA-1

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 3.14±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 21+/-2mm

NGD-4IA-2

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.94±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 21+/-2mm

NGD-4IA-3

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.74±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 21+/-2mm





STRIKE FACE

**250x300 mm.
CERAMIC + PE
BALLISTIC
PLATES**

As long as we protect you, we're fine.

7.62×54 API

**BALLISTIC
PLATES**

BALLISTIC PLATE NIJ LEVEL IV CERAMIC+PE

NGD-C4IA-1

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.97±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 20+/-2mm

NGD-C4IA-2

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.77±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 20+/-2mm

NGD-C4IA-3

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: AL2O3+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.58±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 20+/-2mm

NGD-C4IS-1

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×275mm
Weight: 2.53±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 20+/-2mm

NGD-C4IS-2

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 225×250mm
Weight: 2.37±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 20+/-2mm

NGD-C4IS-3

Ballistic Level: NIJ 0101.04/06 IV ICW
Material: SIC+PE
Size: 250×300mm +/-5mm
Ceramic Size: 200×250mm
Weight: 2.21±0.05 kg
Single curved with upper corner cut
Finishing: Black fabric/PU
Thickness: 20+/-2mm





BALLISTIC VESTS

BALLISTIC VESTS RGD-BV01SA

NIJ LEVEL IIIA TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
 MOLLE Compatible webbing system
 Front abdominal flap secures external cummerbund
 Adjustable shoulder strapping system Tweave comfort inner surface
 Emergency extraction drag strap
 Multi-cummerbund system
 Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
 Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
 Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.3	30 Layer PE UD+6mmEVA	1.8	2.6
	0.32		1.9	2.7
	0.34		2.0	2.8
NIJ .44	0.3	35 Layer PE UD+1 Layer PC+6mmEVA	2.0	2.8
	0.32		2.1	2.9
	0.34		2.2	3.0



BALLISTIC VESTS RGD-BV02SA

NIJ LEVEL IIIA TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
 MOLLE Compatible webbing system
 Front abdominal flap secures external cummerbund
 Adjustable shoulder strapping system Tweave comfort inner surface
 Emergency extraction drag strap
 Multi-cummerbund system
 Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
 Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
 Removable/adjustable side plates



Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.3	30 Layer PE UD+6mmEVA	1.8	2.6
	0.32		1.9	2.7
	0.34		2.0	2.8
NIJ .44	0.3	35 Layer PE UD+1 Layer PC+6mmEVA	2.0	2.8
	0.32		2.1	2.9
	0.34		2.2	3.0

BALLISTIC VESTS RGD-BV03SA

NIJ LEVEL IIIA TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
 MOLLE Compatible webbing system
 Front abdominal flap secures external cummerbund
 Adjustable shoulder strapping system Tweave comfort inner surface
 Emergency extraction drag strap
 Multi-cummerbund system
 Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
 Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
 Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.3	30 Layer PE UD+6mmEVA	1.8	2.6
	0.32		1.9	2.7
	0.34		2.0	2.8
NIJ .44	0.3	35 Layer PE UD+1 Layer PC+6mmEVA	2.0	2.8
	0.32		2.1	2.9
	0.34		2.2	3.0



BALLISTIC VESTS RGD-BV01fA

NIJ LEVEL IIIA TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
 MOLLE Compatible webbing system
 Front abdominal flap secures external cummerbund
 Adjustable shoulder strapping system Tweave comfort inner surface
 Emergency extraction drag strap
 Multi-cummerbund system
 Fire reterdant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
 Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
 Removable/adjustable side plates



Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.5	30 Layer PE UD+6mmEVA	2.9	4.1
	0.53		3.1	4.3
	0.56		3.3	4.5
NIJ .44	0.5	35 Layer PE UD+1 Layer PC+6mmEVA	3.3	4.5
	0.53		3.5	4.7
	0.56		3.7	4.9

BALLISTIC VESTS RGD-BV02fA

NIJ LEVEL IIIA TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
 MOLLE Compatible webbing system
 Front abdominal flap secures external cummerbund
 Adjustable shoulder strapping system Tweave comfort inner surface
 Emergency extraction drag strap
 Multi-cummerbund system
 Fire retardant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
 Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
 Removable/adjustable side plates



Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.5	30 Layer PE UD+6mmEVA	2.9	4.1
	0.53		3.1	4.3
	0.56		3.3	4.5
NIJ .44	0.5	35 Layer PE UD+1 Layer PC+6mmEVA	3.3	4.5
	0.53		3.5	4.7
	0.56		3.7	4.9

BALLISTIC VESTS RGD-BV03fA

NIJ LEVEL IIIA TECHNICAL SPECIFICATIONS

Single hand 2 Point Emergency release system
 MOLLE Compatible webbing system
 Front abdominal flap secures external cummerbund
 Adjustable shoulder strapping system Tweave comfort inner surface
 Emergency extraction drag strap
 Multi-cummerbund system
 Fire retardant 1000 D Nylon 6,6 finish Designed to reduce weight from the shoulders and move it to the lower torso.
 Includes a lower back protector designed to defeat fragmentation impacts to the lower back/kidney area.
 Removable/adjustable side plates



Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.5	30 Layer PE UD+6mmEVA	2.9	4.1
	0.53		3.1	4.3
	0.56		3.3	4.5
NIJ .44	0.5	35 Layer PE UD+1 Layer PC+6mmEVA	3.3	4.5
	0.53		3.5	4.7
	0.56		3.7	4.9




PLATE CARRIER VESTS

PLATE CARRIER VESTS

RGD-AV10

TECHNICAL SPECIFICATIONS

- Lightweight and versatile plate carrier design with emphasis on mobility.
- Easily removable and replaceable preset structure.
- Special design, ergonomic air duct structure
- Shock absorbing interior with 35 density smart sponge and 4-layer shock absorber on the front and back of the shoulders.
- 1 pes. general purpose bag on the side.
- Option to add a rear backpack
- 1 pes. front leader pocket,
- 3 pes. magazine holders and 2 pes. general purpose pockets with flaps,
- 2 pes. pistol magazines and a total of 8 pes. front pockets for convenient and easy replacement.
- Easy carrying feature with the rifle strap on the shoulder straps.
- Under-panel bag for general use, removable.
- Elastic, easily adjustable side parts with column stopper.
- Outer fabric: 1000 D multicam polyamide with high strength, waterproof coating.
- Integrated side parts with quick-release plastic apparatus.
- Plate pocket suitable for 25 × 30 cm dimensions .



PLATE CARRIER VESTS

RGD-AV11

TECHNICAL SPECIFICATIONS

There is a one-size-fits-all belt and multi-size plate case that eliminates the need to make complex and risky sizing choices when purchasing the NGD-AV11 Plate Carrier.

- The AV11 Plate Carrier uses our Quick Release Quick-release system and Fast-Adjust Belt, which can be adjusted and fine-tuned by the user in realtime. Being able to adjust yourself on the go is critical to avoid unnecessary fatigue and compromised combat awareness.

- AV11 is also banner compatible.

The AV11 is a ONE SIZE SUITABLE FOR EVERYONE plate carrier to fit all body types, shapes and sizes.

- 1000D CORDURA® Mil Spec Tactical Nylon
- Mil Spec polymer buckles and hardware
- Quick release system and proprietary Quick adjust belt.
- Laser cut Velcro MOLLE overlay panels
- Fits any size S, M or L SAPI/ESAPI plate up to 1.5" thick
- Fits all 10"X12" plates
- Velcro chest panel dimensions: 25cm * 9cm (9.8" x 3.5"))
- Laser engraved Mil Spec Polymer rope handles
- Weight: 2.5 lb (1.1 kg)



PLATE CARRIER VESTS

RGD-AV12

TECHNICAL SPECIFICATIONS

- AV12 Plate Carrier is suitable for the use of hard and soft ballistic plates together, thanks to the plate sections with two pockets on the front and rear panels.
- Integrated Quick release system
- Shoulder Release buckles are retracted so as not to interfere with rifle stock placement.
- Includes Shoulder Buckles (both left and right) and minimalist slide buckles.
- Banner compatible
- Spreads weight over maximum surface from shoulders to mid-mass area to avoid pressure points.
- Rear carry and pull handle
- Skeletal shoulders for communication and hydration tubes
- 1000D CORDURA® Mil Spec Tactical Nylon
- Mil Spec polymer buckles and hardware
- Velcro MOLLE overlay panels
- Fits any size S, M, or L SAPI/ESAPI plate up to 1.5 inches thick.
- Fits all 10"X12" plates
- Velcro chest panel dimensions: 25cm * 9cm (9.8" x 3.5")
- Mil Spec Polymer rope handles
- 3 Pistol magazine cases, 9 Rifle Magazine Cases, 14 Shotgun ammo slots, 1 Leader Case and 1 general purpose case.
- The feature of adding soft ballistic plate when the two magazine pockets on the right and left side of the vest are removed.
- Weight: 1.49 kg.

